



WOOD FINISHING SYSTEMS

KWIK CLAW™

FAST DRY AND READY-TO-SPRAY CV PRIMER SYSTEMS

W140699 - WHITE | V146129 - NEUTRAL | W130699 - WHITE RTS



KWIK-CLAW™ Fast Dry CV Primer White (W140699) & Neutral (V146129) are fast-drying, high-solids, two-component (alkyd-amino) basecoat systems formulated to provide higher film thickness per coat, resulting in improved build. One coat is all that is needed for most pre-catalyzed and post-catalyzed topcoats. KWIK-CLAW is HAPs compliant and offers improved adhesion, durability, faster dry time and delivers tint acceptance stability and color repeatability.

KWIK-CLAW RTS CV Post-Catalyzed Primer White (W130699) is available in a ready-to-spray option, which comes pre-reduced, saving end-users time and eliminating a step in the process.

KWIK-CLAW Fast Dry CV Primer White and KWIK-CLAW RTS Post-Catalyzed CV Primer provide four (4) unique advantages over the competition, eliminating the need for additional coats:



Fast dry (25 mins or less) helps improve productivity



Easy sand-to-powder creates a smooth and level surface for topcoat application



Higher film thickness reduces need for more than one coat



Tint-Strength controlled White and Clear primer system allows addition of colorant, consistency and wider color space

In Addition To:

- Use as a white primer/clear sealer or as a tinted basecoat with topcoat
- Extended potlife (+8 hours)
- Extended shelf life (18 months for KWIK-CLAW RTS)

KWIK-CLAW FAST DRY AND READY-TO-SPRAY CV PRIMER SYSTEMS Q&A:

Q: What are the primary differences between KWIK-CLAW Fast Dry CV Primer and KWIK-CLAW RTS CV Primer?

A: KWIK-CLAW Fast Dry CV Primer White | Neutral need to be catalyzed and reduced per our PI sheet recommendations. KWIK-CLAW RTS Post-Catalyzed CV Primer White does not require reduction. It only needs to be catalyzed and is ready-to-use/spray after.

Q: Can KWIK-CLAW be used under all topcoat technologies, or is it for conversion varnish systems only?

A: Because KWIK-CLAW was formulated as a post-catalyzed primer system, it's strongly recommended to use a like conversion varnish post-catalyzed topcoat system. If you are considering an alternative system, always test your system in advance to finishing your project.

Q: Which M.L. Campbell catalyst should be used and what ratio is used to catalyze both systems?

A: KWIK-CLAW Fast Dry Primer White | Neutral need to be catalyzed with C149-1 at 10% by volume or C143-1 at 5% by volume. This system may require reduction, depending on equipment type. Reduce with up to 15% standard lacquer thinner as required.

KWIK-CLAW RTS Post-Catalyzed CV Primer White needs to be catalyzed, however, it does not require any further reduction.

Q: What is the maximum wet film build that can be applied in one Application of KWIK-CLAW Fast Dry Primer?

A: The maximum wet film build for one application should be between 5-7 mils. If a second coat is required, refer to the PI sheet to understand drying, sandpaper grit and recoat window schedules.

Q: After application, how soon can I sand the KWIK-CLAW primer systems?

A: KWIK-CLAW CV primer systems can be sanded in 20-25 minutes (Laboratory tested @ 77°F/50% humidity). **Note:** Dry times will be impacted by environment and shop conditions.

Q: Can KWIK-CLAW be tinted? If so, at what percentage/amount? What color systems are compatible?

A: YES, KWIK-CLAW primer systems are tint strength-controlled and can be tinted with IC800 (M.L. Campbell Industrial Colorants) or GIS (Opti-XP™) solvent-based colorants at up to 6 oz. per gallon for White | 10 oz. per gallon for Neutral.

Q: Does KWIK-CLAW perform well on vertical and irregular surfaces?

A: YES, KWIK-CLAW Primer systems have a vertical sag rating of 5-6 mils and are good for vertically hung applications.

Q: What are the benefits of using KWIK-CLAW Fast Dry CV Primer and KWIK-CLAW RTS CV Primer?

A: Both systems are equal in performance; however, it will be dependent on equipment, environment and the control needed for your specific equipment and application. As such, the KWIK-CLAW RTS Post-Catalyzed CV Primer White comes pre-reduced, eliminating a step; however, you forfeit the ability to customize the material for your specific needs and requirements.