EDITION 1.7









KARCHER DESIGN – Contemporary door and window hardware with exclusive fixing technology

KARCHER DESIGN provides an extensive range of contemporary lever designs as well as window handles, door pulls, and accessories. The range is offered in a Satin Stainless Steel finish with select designs available in Polished Stainless Steel or a dual Polished/Satin finish. German engineering assures excellent functionality and years of worry-free service.

KARCHER DESIGN is based in southwestern Germany in the state of Baden-Wurttemberg which borders both France and Switzerland. The area has a long history of industrial design and manufacturing and is home to leading automotive companies Mercedes Benz, Porsche and Audi.

KARCHER DESIGN NA, located in Seattle, is a fully-owned subsidiary of the parent company. Its focus is to provide customer service and product distribution to the growing North American market. In choosing Seattle, Karcher found a home with a climate very much like that in Germany and a thriving high-tech community that will provide inspiration for future product innovation.

KARCHER DESIGN supports door and hardware showrooms, architects, and contractors. Our qualified customer service team assures a smooth and accurate ordering process as well as expert service after the sale. All products are kept in stock at high inventory levels. So whether your project is a single door, a sports stadium, or a high-rise condominium, delivery will be prompt and complete.

KARCHER DESIGN – The quality choice for the discerning customer.


CONTENTS

Three Piece Rose System
Finishes
Handing guide for swinging doors
Plan Design
Lever Handles
Lever Handles in Material Combinations 50
Ancillary Products
Knobs
Pull Handles
Window Handles
Pocket Door Sets
Accessory Products
Presentation Concept

PRODUCT ADVANTAGES OF THE THREE PIECE ROSE SYSTEM




DESIGNS OF STAINLESS STEEL



FINISHES	color code / example
Satin stainless steel	
Polished stainless steel	
Polished/ Satin stainless steel	
Polished chrome	
Satin nickel	
Polished chrome/ Satin nickel also: Polished chrome/ Satin stainless steel (65)	
Oil rubbed bronze	1
Cosmos black (83)	

HANDING GUIDE FOR SWINGING DOORS:



FUNCTIONS:

Please specify either 2 3/8" or 2 3/4" backset at time of ordering. Both full lip and T-strikes are provided with each latch. Please specify door thickness in order to assure proper lenght spindle is supplied.

for UER and UERQ sets	for sets on UEL plate

PAS PRI DUM	passage privacy full dummy	LA PAS PB	single cylinder entry set passage passage with privacy bolt
DUML	half dummy left	PAT	patio
DUMR	half dummy right	DUM DUML	full dummy half dummy left
		DUMR	half dummy right

for TER and TERQ sets

for TER and TERQ sets		for sets on RLE escutcheon plate	
LA DUM DUML DUMR	passage full dummy half dummy left half dummy right	PAS PB DUM DUML DUMR PZ92	passage passage with privacy bo full dummy half dummy left half dummy right multipoint set, trim only euro profile lever high, without spring



Reference: Rainville Appartements, Hamburg, Architects: Michel Kagan Architecture & Associés Paris







MAGNETIC LOCK for Plan Design lever sets

image: TEPL 28

version: latch (LA), privacy bolt (PB) dummy (DUM) * This lock closes doors smoothly and silently without locking them. When the door is closed the magnet in the frame will pull out the latch. It can be reopened by pressing down the handle.

Since the latch never touches the door frame the lock for Plan Design sets has a longer duration than standard door locks. TEPL sets are available for all Karcher Design lever models.



Rhodos - TEPL 28

Finish: Diameter of lever: Rose: oil rubbed bronze Ø 3/4" (19 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)



Madeira - TEPL 45

Finish: Diameter of lever: Rose: oil rubbed bronze Ø 3/4" x 1" (18,5 x 26 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)

All Karcher Design lever models are available on Plan Design roses.





PLAN DESIGN



....ucs - [EPL 28


Diameter of lever: Rose:

Satin stainless steel Ø 3/4" (19 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)



Mageira – TEPL 45

Finish: Diameter of lever: Satin stainless steel Ø 3/4" x 1" (18,5 x 26 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)



Seattle - TEPL 46 Q

Finish: Diameter of lever: Rose:

Satin stainless steel 3/4" x 13/16" (19 x 22 mm) 2 3/16" x 2 3/16" x 1/8" (55 x 55 x 3 mm)



Tasmania - TEPL 31 Q

Finish: Diameter of lever: Satin stainless steel Ø 13/16" (22 mm) 2 3/16" x 2 3/16" x 1/8" (55 x 55 x 3 mm)

All Karcher Design lever models are available on Plan Design roses.

All Karcher Design lever models are available on Plan Design roses.


13

KARCHER

GERMANY




To suit standard 2 1/8" door prep




Torino – UR 53 Q Inlay: light oak appearance 25/8" rose Deadbolt: UEDB Q 71

Torino – UR 53 Inlay: light brown leather 25/8" rose Deadbolt: UEDB 71



Torino – UL 53 Inlay: satin cream white 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)





Torino – TR 53 Q Inlay: carbon 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Torino – TR 53 Inlay: satin gray 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Torino - RLE 53 Inlay: ebony 10 1/4" x 2 1/16" x 3/8" plate



To suit standard 2 1/8" door prep



Torino - UR 53 Q Inlay: polished white 25/8" rose Deadbolt: UEDB Q 72



Torino - UR 53 Inlay: satin black 25/8" rose Deadbolt: UEDB 72



Torino – UL 53 Inlay: concrete appearance 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




Torino – TR 53 Q Inlay: black leather 2 1/16" rose Privacy Bolt: UEZ1340 PB 72




Torino – TR 53 Inlay: light oak 2 1/16" rose Privacy Bolt: UEZ1332 PB 72

Refer to price list for all functions and backset options









Manhattan – UER 21 Q 25/8" rose Deadbolt: UEDB Q 71



Manhattan – UER 21 25/8" rose Deadbolt: UEDB 71



Manhattan – UEL 21 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit standard 2 1/8" door prep



Manhattan – UER 21 Q 25/8" rose Deadbolt: UEDB Q 71



Manhattan - UER 21 25/8" rose Deadbolt: UEDB 71




Manhattan - UEL 21 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




Manhattan – TER 21 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

14



Manhattan – TER 21 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Manhattan - RLE 21 10 1/4" x 2 1/16" x 3/8" plate

To suit non-bored doors




Manhattan - TER 21 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71




Manhattan – TER 21 2 1/16" rose Privacy Bolt: UEZ1332 PB 71








Crete - UER 27 25/8" rose Deadbolt: UEDB 71





Crete - TER 27 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

Crete - TER 27 2 1/16" rose Privacy Bolt: UEZ1332 PB 71

Crete - RLE 27 10 1/4" x 2 1/16" x 3/8" plate



Reference: Four Seasons, Denver, Architects: Carney Logan Burke










Rhodes - UER 28 Q 2 5/8" rose Deadbolt: UEDB Q 71



Rhodes - UER 28 25/8" rose Deadbolt: UEDB 71



Rhodes - UEL 28 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)




Rhodes - TER 28 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

18




Rhodes - RLE 28 10 1/4" x 2 1/16" x 3/8" plate









Rhodes - UER 28 Q 25/8" rose Deadbolt: UEDB Q 72

Rhodes - UER 28 25/8" rose Deadbolt: UEDB 72

Rhodes - UEL 28 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


To suit non-bored doors



Rhodes - TER 28 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72



Rhodes – TER 28 2 1/16" rose Privacy Bolt: UEZ1332 PB 72







Rhodes - UER 28 Q 2 5/8" rose Deadbolt: UEDB Q 81

Rhodes - UER 28 2 5/8" rose Deadbolt: UEDB 81


To suit non-bored doors





Rhodes - TER 28 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 81

Rhodes - TER 28 2 1/16" rose Privacy Bolt: UEZ1332 PB 81








Cyprus – UER 29 25/8" rose Deadbolt: UEDB 71

Cyprus – UEL 29 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Cyprus - RLE 29 10 1/4" x 2 1/16" x 3/8" plate





Corsica - UER 30 Q 25/8" rose Deadbolt: UEDB Q 71



Corsica - UER 30 25/8" rose Deadbolt: UEDB 71



Corsica – UEL 30 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Corsica - TER 30 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71


22



Corsica – TER 30 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Corsica - RLE 30 10 1/4" x 2 1/16" x 3/8" plate




Reference: Cheval Three Quays, London, Architects: 3D Reid Architects











Tasmania – UER 31 QTasmania – UER 312 5/8" rose2 5/8" roseDeadbolt: UEDB Q 71Deadbolt: UEDB 71

Tasmania – UEL 31 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

10 1/4" x 2 1/16" x 3/8" plate


Tasmania – UER 31 Q
2 5/8" rose
Deadbolt: UEDB Q 72

Tasmania – UER 31
2 5/8" rose
Deadbolt: UEDB Q 72

Tasmania – UER 31
2 5/8" cose
Deadbolt: UEDB 72

Tasmania – UEL 31
9 13/16" x 2 3/8" x 1/2" plate
(5 1/2" Center to Center)

To suit non-bored doors



Privacy Bolt: UEZ 1332 PB 71

2 1/16" rose



Tasmania – TER 31 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72




Tasmania – TER 31 2 1/16" rose Privacy Bolt: UEZ1332 PB 72


2 1/16" rose

24

Privacy Bolt: UEZ 1340 PB 71







Deadbolt: UEDB Q 73

Babylon - UER 32 Q

2 5/8" rose

Babylon - UER 32 2 5/8" rose Deadbolt: UEDB 73

Babylon - UEL 32 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors







9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)

To suit standard 2 1/8" door prep



25/8" rose

Deadbolt: UEDB 73

To suit non-bored doors

Deadbolt: UEDB Q 73

25/8" rose








Babylon - TER 32 2 1/16" rose Privacy Bolt: UEZ1332 PB 73



Rio Steel - TER 34 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Rio Steel - TER 34 2 1/16" rose Privacy Bolt: UEZ1332 PB 73





Lignano Steel - UER 35 Q 2 5/8" rose Deadbolt: UEDB Q 71




Lignano Steel - UER 35 25/8" rose Deadbolt: UEDB 71



Lignano Steel - UEL 35 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Lignano Steel - TER 35 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

Lignano Steel - TER 35 2 1/16" rose Privacy Bolt: UEZ1332 PB 71




Lignano Steel - RLE 35 10 1/4" x 2 1/16" x 3/8" plate



(ARCHER GERMANY

Atlantis

Finish: Polished/satin stainless steel (73)



To suit standard 2 1/8" door prep



Atlantis - UER 36 Q 25/8" rose Deadbolt: UEDB Q 73




Atlantis - UER 36 25/8" rose Deadbolt: UEDB 73



Atlantis - UEL 36 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


To suit non-bored doors




Atlantis - TER 36 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Atlantis - TER 36 2 1/16" rose Privacy Bolt: UEZ1332 PB 73





Verona – UER 37 Q 2 5/8" rose Deadbolt: UEDB Q 71

2 1/16" rose

Privacy Bolt: UEZ1340 PB 71




Verona - UER 37 25/8" rose Deadbolt: UEDB 71




Verona – UEL 37 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


10 1/4" x 2 1/16" x 3/8" plate



Privacy Bolt: UEZ1332 PB 71

2 1/16" rose





Verona – UER 37

Deadbolt: UEDB 72

25/8" rose

Verona – UEL 37

9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)



Verona – UER 37 Q


Deadbolt: UEDB Q 72


2 5/8" rose



Verona – TER 37 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72

Verona - TER 37 2 1/16" rose Privacy Bolt: UEZ1332 PB 72






Verona – UER 37 Q 2 5/8" rose Deadbolt: UEDB Q 72 **Verona – UER 37** 2 5/8" rose Deadbolt: UEDB 72 **Verona – UEL 37** 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Verona – TER 37 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72 **Verona – TER 37** 2 1/16" rose Privacy Bolt: UEZ1332 PB 72





Porto - UER 43 Q 25/8" rose Deadbolt: UEDB Q 73 Porto - UER 43 2 5/8" rose Deadbolt: UEDB 73 **Porto – UEL 43** 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




Porto - TER 43 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73




Porto - TER 43 2 1/16" rose Privacy Bolt: UEZ1332 PB 73

35



To suit standard 2 1/8" door prep




Madeira - UER 45 Q 2 5/8" rose Deadbolt: UEDB Q 71




Madeira - UER 45 2 5/8" rose Deadbolt: UEDB 71




Madeira - UEL 45 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Madeira – TER 45 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Madeira - RLE 45 10 1/4" x 2 1/16" x 3/8" plate



To suit standard 2 1/8" door prep



Madeira – UER 45LH Q with light brown leather 2 5/8" rose Deadbolt: UEDB Q 71


To suit non-bored doors



Madeira – UER 45LD with dark brown leather 25/8" rose Deadbolt: UEDB 71



Madeira – UEL 45LS with black leather 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)





Madeira – TER 45LH Q with light brown leather 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Madeira – TER 45LD with dark brown leather 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Madeira - RLE 45LS with black leather 10 1/4" x 2 1/16" x 3/8" plate





Madeira - UER 45 Q 25/8" rose Deadbolt: UEDB Q 81

Madeira - UER 45 25/8" rose Deadbolt: UEDB 81

To suit non-bored doors



Madeira – TER 45 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 81


Madeira – TER 45 2 1/16" rose Privacy Bolt: UEZ1332 PB 81




To suit non-bored doors



Seattle - TER 46 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 81





Seattle - UER 46 Q 2 5/8" rose Deadbolt: UEDB Q 72




Seattle - UEL 46 Q 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Seattle - TER 46 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72




To suit standard 2 1/8" door prep



Seattle - UER 46 Q 2 5/8" rose Deadbolt: UEDB Q 71




Seattle - UEL 46 Q 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)




Seattle - TER 46 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Seattle - RLE 46 Q 10 1/4" x 2 1/16" x 3/8" plate





Oregon - UER 48 Q 2 5/8" rose Deadbolt: UEDB Q 71


2 1/16" rose

Privacy Bolt: UEZ1340 PB 71

Oregon - UER 48 2 5/8" rose Deadbolt: UEDB 71

Oregon – UEL 48 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


10 1/4" x 2 1/16" x 3/8" plate



Privacy Bolt: UEZ1332 PB 71

2 1/16" rose





Oregon – UER 48 QOregon – UER 482 5/8" rose2 5/8" roseDeadbolt: UEDB Q 73Deadbolt: UEDB 73

Oregon - UEL 48 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




Oregon - TER 48 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Oregon - TER 48 2 1/16" rose Privacy Bolt: UEZ1332 PB 73









London - UER 51 Q 2 5/8" rose Deadbolt: UEDB Q 71

London - TER 51 Q

Privacy Bolt: UEZ1340 PB 71

2 1/16" rose

42




London - UER 51 25/8" rose Deadbolt: UEDB 71



London - UEL 51 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

London - RLE 51

10 1/4" x 2 1/16" x 3/8" plate



 Milano - UER 52
 Milano - UEL 52

 2 5/8" rose
 9 13/16" x 2 3/8" x 1/2" plate


 Deadbolt: UEDB 71
 (5 1/2" Center to Center)

To suit non-bored doors

London - TER 51

Privacy Bolt: UEZ1332 PB 71

2 1/16" rose



Milano - UER 52 Q

Deadbolt: UEDB Q 71

To suit non-bored doors

25/8" rose

2 1/16" rose

Privacy Bolt: UEZ1340 PB 71

Milano – TER 52 2 1/16" rose Privacy Bolt: UEZ1332 PB 71





Milano - RLE 52 10 1/4" x 2 1/16" x 3/8" plate











Ontario - UER 64 Q 2 5/8" rose Deadbolt: UEDB Q 71



Ontario - UER 64 25/8" rose Deadbolt: UEDB 71



Ontario - UEL 64 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit standard 2 1/8" door prep



Ontario - UER 64 Q 25/8" rose Deadbolt: UEDB Q 73



Ontario - UER 64 25/8" rose Deadbolt: UEDB 73




Ontario - UEL 64 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Ontario - TER 64 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Ontario - TER 64 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Ontario - RLE 64 10 1/4" x 2 1/16" x 3/8" plate

To suit non-bored doors



Ontario - TER 64 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73




Ontario - TER 64 2 1/16" rose Privacy Bolt: UEZ1332 PB 73

47



To suit standard 2 1/8" door prep



New York - UER 65 Q 2 5/8" rose Deadbolt: UEDB Q 71




New York - UER 65 2 5/8" rose Deadbolt: UEDB 71



New York - UEL 65 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




New York - TER 65 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



New York - TER 65 2 1/16" rose Privacy Bolt: UEZ1332 PB 71




New York - RLE 65 10 1/4" x 2 1/16" x 3/8" plate




KARCHER GERMANY

New York

Finish: Polished/satin stainless steel (73)



To suit standard 2 1/8" door prep



New York - UER 65 Q 25/8" rose Deadbolt: UEDB Q 73



New York - UER 65 25/8" rose Deadbolt: UEDB 73



New York - UEL 65 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




New York - TER 65 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73




New York - TER 65 2 1/16" rose Privacy Bolt: UEZ1332 PB 73

49



To suit standard 2 1/8" door prep



Toronto – UER 71 Q 2 5/8" rose Deadbolt: UEDB Q 71

Toronto – UER 71 25/8" rose Deadbolt: UEDB 71


Toronto - UEL 71 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors


Toronto – TER 71 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

Toronto – TER 71 2 1/16" rose Privacy Bolt: UEZ1332 PB 71

Toronto – RLE 71 10 1/4" x 2 1/16" x 3/8" plate



To suit standard 2 1/8" door prep




Kioto – UER 72 Q 25/8" rose Deadbolt: UEDB Q 71


Privacy Bolt: UEZ1340 PB 71


Kioto – UER 72 25/8" rose Deadbolt: UEDB 71


Kioto – UEL 72 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Privacy Bolt: UEZ1332 PB 71







Futura - UER 84 Q 25/8" rose Deadbolt: UEDB Q 71


Futura - TER 84 Q

2 1/16" rose

50


Futura - UER 84 2 5/8" rose Deadbolt: UEDB 71


Futura - UEL 84 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Futura - TER 84 2 1/16" rose Privacy Bolt: UEZ1340 PB 71 Privacy Bolt: UEZ1332 PB 71

Futura - RLE 84 10 1/4" x 2 1/16" x 3/8" plate






25/8" rose

2 1/16" rose

Deadbolt: UEDB 71



Privacy Bolt: UEZ1332 PB 71

9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)


25/8" rose

2 1/16" rose

Privacy Bolt: UEZ1340 PB 71


Deadbolt: UEDB Q 71

53



Starlight

Finish: polished chrome / satin stainless steel (65)



To suit standard 2 1/8" door prep



Starlight - UR 38 Q 25/8" rose Deadbolt: UEDB Q 73



Starlight - UR 38 2 5/8" rose Deadbolt: UEDB 73



Starlight - UL 38 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


To suit non-bored doors




Starlight - TR 38 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Starlight - TR 38 2 1/16" rose Privacy Bolt: UEZ1332 PB 73



To suit standard 2 1/8" door prep



Phoenix - UR 40 Q 2 5/8" rose Deadbolt: UEDB Q 73



Phoenix - UR 40 25/8" rose Deadbolt: UEDB 73



Phoenix – UL 40 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Phoenix - TR 40 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Phoenix - TR 40 2 1/16" rose Privacy Bolt: UEZ1332 PB 73









UEDB Q 71 satin stainless steel





UEDB Q 72 polished stainless steel





UEDB Q 73 polished/satin stainless steel





UEDB Q 81 oil rubbed bronze





UEDB Q 83



cosmos black







Solid brass cylinder with a c-keyway From inside concealed fixing with a 3-piece rose (2 5/8" x 2 5/8" (67mm)) Adjustable latch 2 3/8" (60 mm) and 2 3/4" (70 mm) Matching adjustable UL-listed latch 2 3/8" (60 mm) and 2 3/4" (70 mm)




57



UEZ1332 - PB 83 cosmos black

Privacy bolt – UEZ1332 PB 2 1/16" rose for non-bored doors





3 piece rose Ø 2 1/16" (52 mm) Backset 2 3/8" and 2 3/4" (60 mm and 70 mm)

Special door prep required!





GERMANY

Z1340 Q - PB 71 satin stainless steel





Z1340 Q - PB 72 polished stainless steel





Z1340 Q - PB 73 polished/satin stainless steel





UEZ1340 Q - PB 81 oil rubbed bronze






UEZ1340 Q - PB 83 cosmos black

Privacy bolt - UEZ1340 PB 2 1/16" rose for non-bored doors









3 piece rose 2 1/16" x 2 1/16" (52 mm) Backset 2 3/8" and 2 3/4" (60 mm and 70 mm)

Special door prep required!





Double Cylinder Deadbolt - UEDDB Suits standard door prep 2 1/8"

Solid brass cylinder with a c-keyway Adjustable latch 2 3/8" (60 mm) and 2 3/4" (70 mm)


Two distance rings UEZ D1 required for door thickness 1 3/8" (35 mm) and thinner One distance ring UEZ D1 required for door thickness 1 13/16" - 2 5/16" (46 - 59 mm)





Reference: Hoernlihuette, Matterhorn (Zermatt) Switzerland, Renovation: Arnold Perren Zurniwen GmbH





Knob – UEK 530 R centered (standard)

Finish: Satin stainless steel (71)

To suit standard 2 1/8" door prep




Knob – UEK 530 R 2 5/8" rose



Knob on UEL plate - UEL 530 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)







Knob - UEK 300 R centered Finish: Satin stainless steel (71)

To suit standard 2 1/8" door prep



Knob - UEK 300 R 2 5/8" rose



Knob on UEL plate - UEL 300 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

GERMANY



Knob - TEK 530 R 2 1/16" rose


Knob on RLE plate - RLE 530 10 1/4" x 2 1/16" x 3/8" plate



Knob - TEK 300 R 2 1/16" rose



Knob on RLE plate - RLE 300 10 1/4" x 2 1/16" x 3/8" plate



Knob - UEK 550 GRQ offset (standard) Finish: Satin stainless steel (71)

68 mm (2 11/16")

To suit standard 2 1/8" door prep



Knob – UEK 550 GRQ 2 5/8" rose



Knob on UEL plate - UEL 550 GRQ 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Knob on RLE plate - RLE 550 GRQ 10 1/4" x 2 1/16" x 3/8" plate



Glass knob – UK 400 R2 Finish: Satin stainless steel (71)



To suit standard 2 1/8" door prep



Knob - UK 400 2 5/8" rose



Knob on UEL plate - UEL 400 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)







Knob - TK 400 R 2 1/16" rose



Knob on RLE plate - RLE 400 10 1/4" x 2 1/16" x 3/8" plate



Finish: Satin stainless steel (71)



Knob - UEK 450 2 5/8" rose



Knob on UEL plate - UEL 450 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Knob - TEK 450 2 1/16" rose




Knob on RLE plate - RLE 450 10 1/4" x 2 1/16" x 3/8" plate



Reference: Van der Valk, Enschede, Niederlande, Architect: Paul Teunissen









Pull handle - ES 65


stainless steel


Ø 13/16" (20 mm)


Finish: satin/polished

Fixing center: 11 13/16"

(300 mm) or 15 3/4" (400 mm)








Pull handle - ES 31


Ø22 mm (7/8")

Finish: satin stainless steel Fixing center: 11 13/16" (300 mm), Ø 7/8" (22 mm) 15 3/4" (400 mm), Ø 1" (25 mm)



Pull handle - ES 46

Finish: satin stainless steel Fixing center: 11 13/16" (300 mm) 15 3/4" (400 mm) Ø 3/4" x 7/8" (19 mm x 22 mm)




Pull handle - ES 37

oval shape
Finish: satin stainless steel
Fixing center:
11 13/16" (300 mm)
Ø 15/16" x 11/16" (24 mm x 17 mm)


oval shape
Finish: satin stain
Fixing center:
11 13/16" (300 mm)
11 13/16" (300 mm)
15 3/4" (400 mm)


Pull handle - ES 48


oval shape Finish: satin stainless steel Fixing center: 11 13/16" (300 mm) 15 3/4" (400 mm) Ø 13/16" x 1" (20 mm x 26 mm)



oval shape Finish: satin stainless steel Fixing center: 11 13/16" (300 mm) 15 3/4" (400 mm) Ø 9/16" x 1" (15 mm x 25 mm)







69



Pull handle - ES3

oval shape Finish: cosmos black Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm) 47 1/4" (1200 mm)

Ø 1 1/4" (32 mm)

Pull handle - ES3 LD

oval shape Finish: satin stainless steel with dark-brown leather Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm) 47 1/4" (1200 mm) 55 1/8" (1400 mm) 63" (1600 mm) 70 7/8" (1800 mm) 78 3/4" (2000 mm)

Ø 1 1/4" (32 mm)

Pull handle - ES3


oval shape Finish: polished stainless steel Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm) 47 1/4" (1200 mm) Ø 1 1/4" (32 mm)



Pull handle - ES 3

Finish: satin stainless steel Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm) 47 1/4" (1200 mm) 55 1/8" (1400 mm) (1600 mm) 70 7/8" (1800 mm) 78 3/4" (2000 mm)

Ø 1 1/4" (32 mm)





Pull handle - ES 3G

option: cranked 45° Finish: satin stainless steel Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm)

39 3/8" (1000 mm) 47 1/4" (1200 mm) 55 1/8" (1400 mm) (1600 mm) 70 7/8" (1800 mm)

Ø 1 1/4" (32 mm)





Pull handle - ES8

oval shape Finish: satin stainless steel Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm)

Ø 1" (25,3 mm)


Pull handle - ES 20

Finish: satin stainless steel Fixing center: 13 3/4" (350 mm) Ø 7/8" (22 mm)

Finish: satin stainless steel Overall length: 15 3/4" (400 mm) 23 5/8" (600 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm)

Pull handle - ES 6Q

rectangular shape 13/16" x 1 9/16" (20 mm x 40 mm)







Fixing material for pull handles



fixing as pair for timber, PVC or metal door



fixing as pair, for glass door



EZ 1064 secret face fixing for frame or PVC doors



EZ 1065 bolt through fixing for wood or frame doors with caps on the other side

Pull handle - ES 43

oval shape Finish: satin/polished stainless steel Fixing center: 15 3/4" (400 mm) Ø 11/16" x 13/16" (17 mm x 22 mm)




EZ 1062 bolt through fixing for glass door with caps on the other



71


EZ 1079 bolt through fixing for pull handles






Reference: Bideford College, Devon, Architects: NPS Group






EF214

Finish: satin stainless steel, polished stainless steel, cosmos black Matching lever Manhattan (page 12)




EF 274

Finish: satin stainless steel, polished stainless steel Matching lever: Crete (page 14)




EF 284

Finish: satin stainless steel, polished stainless steel, oil rubbed bronze
Matching lever:
Rhodes (page 16)




Rotates in 4 positions at 90° Hole distance: 1 11/16" (43 mm) Fixing: M5 with fixing lugs Ø 3/8" (10 mm), 1/4" (7 mm) spindle, lenght: 1 3/8" (35 mm) Cap: 2 9/16" x 1 3/16" x 1/2" (65 x 30 x 12 mm)




EF 454 Q

Finish: satin stainless steel Optionally with oval cover EF454 Matching lever: Madeira (page 32)




EF 464 Q

Finish: satin stainless steel and polished stainless steel Optionally with oval cover EF464 Matching lever: Seattle (page 35)



EF 514

Finish: satin stainless steel Matching lever: London (page 40)



Rotates in 4 positions at 90° Hole distance: 1 11/16" (43 mm) Fixing: M5 with fixing lugs Ø 3/8" (10 mm), 1/4" (7 mm) spindle, lenght: 1 3/8" (35 mm) Cap: 2 9/16" x 1 3/16" x 1/2" (65 x 30 x 12 mm)









satin stainless steel (71)



polished stainless steel (72)



oil rubbed bronze (81)



cosmos black (83)



Lock with strike plate, outside pull

emergency release, inside pull with thumb turn,

5/16" x 5/16" (8 x 8 mm) spindle and edge pull

Pull: Ø 2 1/2" x 3/8" (63 mm x 10 mm)




Pocket door set - EPD OS Outside pull blank, inside pull blank

and edge pull Pull: Ø 2 1/2" x 3/8" (63 mm x 10 mm)

(without image)

Pocket door set – EPD PB Lock with strike plate, outside pull with thumb turn, inside pull with thumb turn, 5/16" x 5/16" (8 x 8 mm) spindle and edge pull Pull: Ø 2 1/2" x 3/8" (63 x 10 mm)





satin stainless steel (71)

polished stainless steel (72)







Pocket door set - EPD Q Lock with strike plate, outside pull with emergency release, inside pull with thumb turn, 5/16" x 5/16" (8 x 8 mm) spindle and edge pull

Pull: 2 1/4" x 2 1/4" x 3/8" (57 x 57 x 10 mm) (without imgage) Pocket door set - EPD OS Outside pull blank, inside

pull blank and edge pull








oil rubbed bronze (81)








(without image) Pocket door set - EPDQ PB Lock with strike plate, outside pull with thumb turn, inside pull with thumb turn, 5/16" x 5/16" (8 x 8 mm) spindle and edge pull Pull: 2 1/4" x 2 1/4" x 3/8" (57 x 57 x 10 mm)



cosmos black (83)

Floor door stop - EZ 211


Finish: satin stainless steel Diameter: Ø 1 3/4" (45 mm), Height: 1 3/16" (30 m<u>m)</u>





Floor door stop - EZ 215


Finish: satin stainless steel Diameter: Ø 2 9/16" (65 mm), Height: 1" (25 mm) Fixing material: 1 screw and dowel



Floor door stop – EZ 213

No fixing required (not suitable for corridors)


Finish: satin stainless steel Diameter: Ø 4" (90 mm) Height: 2 1/2" (63 mm), Weight: 4,8 lb (2,2 kg)






Floor door stop - EZ 212

Finish: satin stainless steel Diameter: Ø 1 3/8" (35 mm), Height: 2" (50 mm)



Floor door stop extension - EZ 215 G

(without image) Plastic, Height: 3/8" (10 mm)





Floor door stop - EZ 216

Finish: satin stainless steel

Diameter: 1 1/4" x 1 1/4"

Height: 1 11/16" (43 mm)

(31 x 31 mm),


Ø31 mm (1 1/4")



Floor door stop – EZ 214

No fixing required (not suitable for corridors)

Finish: satin stainless steel Diameter: Ø 4" (90 mm), Height: 1 5/16" (33 mm), Weight: 2,2lb (1,0 kg)





Floor door stop – EZ 217

Finish: satin stainless steel, oil rubbed bronze, cosmos black Diameter: Ø 1 3/8" (35 mm), Height: 1 2/3" (41 mm)





Floor door stop - EZ 217Q


Finish: satin stainless steel, oil rubbed bronze, cosmos black Diameter: 1 3/8" x 1 3/8" (35 x 35 mm), Height: 1 2/3" (41 mm)



Floor door stop – Z 1925

Finish: polished chrome, satin nickel Diameter: Ø 1 1/2" (37 mm), Height: 1 7/16" (37 mm)








19 mm (3/4")

Wall door stop - EZ 209

Finish: satin stainless steel
Diameter: Ø 1 1/4" (31 mm)
Length: 1 3/16" (30 mm)



Wall door stop - EZ 210

Finish: satin stainless steel Diameter: Ø 2" (52 mm) Length: 3 1/8" (80 mm)





Sliding door handle EZ 1702


Options: without hole, key hole, euro profile Finish: satin stainless steel Length: 4 3/4" (120 mm) Width: 1 5/8" (41 mm) Drilling dimensions: 1 3/16" x 3 3/4" x 1/2" (30 x 95 x 13 mm)






Sliding door handle EZ 1703 Q

Options: without hole, key hole, euro profile Finish: satin stainless steel Length: 4 3/4" (120) mm Width: 1 5/8" (41 mm) Drilling dimensions: 1 3/16" x 3 3/4" x 1/2" 30 x 95 x 13 mm









Door knocker - ET1

Finish: satin stainless steel, polished stainless steel Height: 5 1/2" (140 mm) Width: 1 15/16" (50 mm) Depth: 13/16" (20 mm)



Sliding door handle - Z 1702

Options: witout hole, key hole, euro profile
Finish: polished chrome, satin nickel
Drilling dimensions: 1" x 3 5/8" x 3/8" (25 x 92 x 10mm)








abc

House numbers - EZ 205 *

Options: * 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, a, b, c, d, e, / Finish: satin stainless steel and polished stainless steel Height: 5 7/8" (150 mm) for numbers, 4 3/8" (110 mm) for letters, Thickness: 1/16" (2 mm) for wall fixing




23


House numbers - EZ 207 *

Options: * 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, a, b, c, d, e, / Finsh: satin stainless steel Height: 4" (100 mm) for numbers, 2 15/16" (75 mm) for letters Thickness: 1/16" (2 mm) for door fixing











Signs - EZ 202 Finish: satin stainless steel

Options:

EZ202 D - female

EZ202 H - male EZ202 WT - baby change EZ202 B - disabled

EZ202 M - no mobile EZ202 N - no smoking **Dimensions:**

4 3/4" x 2" 4 3/4" x 1 1/2" 4 3/4" x 2 1/2"

4" x 2 1/4" 4 1/2" x 3 3/8" 4" x 3"

(120 x 50 mm) (120 x 38 mm) (120 x 63 mm) (100 x 57 mm) (115 x 85 mm) (100 x 75 mm)



Reference: Cheval Three Quays, London, Architects: 3D Reid Architects





door bell - EZ 303 Q
Finish: satin stainless steel /
polished stainless steel

Dimensions: 1 1/4" x 2 15/16" (32 mm x 75 mm)

invisible fixing



door bell - EZ 302 Q Finish: satin stainless steel / polished stainless steel

2 screws with plugs 1/4" x 1 3/16" (6 x 30 mm) dimensions: 2 3/4" x 2 3/4" x 3/16" (70 mm x 70mm x 5 mm)

invisible fixing





door bell - EZ 301Finish: satin stainless steel / polished stainless steel

2 screws with plugs 1/4" x 1 3/16" (6 x 30 mm) dimensions: Ø 2 3/4" (70 mm)

invisible fixing

■ Revolving display TD11SR

3 sides, 34 samples on black boards 6' 10 11/16" x 20 7/8" (210 cm x Ø 53 cm)



2 sides, 10 samples on black boards 5'10 1/16" x 12 5/8" x 12 5/8" (178 cm x 32 cm x 32 cm)





▲ Aluminium suitcase 12E

12 samples on boards 20 1/2" x 18 1/3" x 5 1/2" (52 cm x 46,5 cm x 14 cm)



Table display 116USR

2 levers sets on 2 5/8" rose on a black and red table stand 13" x 7" x 8" (330 mm x 178 mm x 203 mm)



■ Table display 116EPD

2 sides, 1 EPD set on a black and red table stand 12 5/8" x 5 1/2" x 6 5/16" (320 mm x 140 mm x 160 mm)





(no purchasable exemplaries)



Torino - UR53 cosmos black with carbon inlay



Tasmania - UER31 cosmos black with carbon wrapped



Seattle Office and Warehouse:

Karcher Design NA 1042 Industry Drive Tukwila, WA 98188 Tel.: (844) 858-2033 Fax: (253) 236-4469 order@karcher-design.com www.karcher-design.com

